US ERA ARCHIVE DOCUMENT



125401

Date Out EFB:

1 1 APR 1984

TO:	Robert Taylor Product Manager Registration Division TS-767	
FROM:	Samuel Creeger, Chief Review Section No. 1 Exposure Assessment Branch Hazard Evaluation Division	
Attached	please find the environmental	fate review of:
Reg./File	No.: 279-EUP-293	
Chemical:	FMC 57020	
Type Prod	uct: Herbicide	
Product N	ame: FMC 57020 4 EC	
Company N	Jame: FMC Chemical Co.	
Submissio	on Purpose: Protocol review	of field dissipation
study.		
ZBB Code:	?	ACTION CODE: 450
Date in:	3/29/84	EFB # 4263
Date Comp	oleted: 4/10/84	TAIS (level II) Days
Deferrals	s To:	67 0.5
I	Ecological Effects Branch	

Residue Chemistry Branch

Toxicology Branch

1.0 INTRODUCTION

FMC Chemical Co. has submitted a protocol for the short term field dissipation study for eventual registration of the herbicide FMC 57020 4 EC. It is currently being tested under an experimental use permit. This protocol was developed in response to the OPP/FMC pre-registration meeting held 2/27/84. At that meeting EAB requested FMC submit a more complete protocol for review. The protocol handed out was too brief for EAB comment at that time. EAB did provide additional comments on the protocol which should be included.

2.0 DISCUSSION

- 2.1 Complete protocol is attached to this review.
- 2.2 FMC has incorporated EAB comments into the protocol:
 - Soil will be a loamy sand (70-85% sand) with approximately 1% organic matter. The one-half acre plot will be a soil typical of soybean cultivation on Maryland's eastern shore.
 - FMC 57020 4 EC will be soil incorporated to 3-4 inch depth.
 - Two 2-inch rainfall events will be simulated by irrigation applied 4 and 9 days after herbicide application.
 - In addition, 0.5 inch rainfall events will be simulated by irrigation at intervals during the 60 day study. (Amount of water added by irrigation will be co-ordinated with natural rainfall.)
 - Soil will be sampled in one foot increments: 0-1, 1-2, 2-3, 3-4 feet segments. Soil textural class of each one foot segment will be provided.
 - Soil samples will be analyzed for parent FMC 57020 and the anaerobic soil metabolite FMC 65317.
 - Field plot will be held contingent upon the results of the 60 day study. If necessary, additional cores at lower depths can be taken and/or duration of study can be extended if needed.
 - Basic environmental and hydrology data will be supplied.

3:0 Conclusion

3.1 The FMC protocol appears to be adequate. The previous EAB comments were incorporated into the study. If the study is conducted according to the protocol revised to include the points listed in 3.2, below, it should provide adequate data about leaching for the parent FMC 57020 and the anaerobic soil metabolite under field conditions.

Information available indicate that the average rainfall for the Maryland eastern shore is 3 - 3.5 inches per month for the period April to June. Thus, the amount of irrigation water to be applied to supplement the natural rainfall is adequate.

The registrant has provided a contingency for additional samples to be taken if needed. If residues are found at the four foot depth, then soil must be sampled at additional one foot increments.

- 3.2 FMC should be informed that the following additional points must be added to the protocol:
 - The soil plot must be moistened with the equivalent of 2 inches of rainfall 2 to 3 days before FMC 57020 is applied.
 - The sampling schedule should be revised to include sampling two days after the 2 inch irrigation application (i.e., at days 6 and 11 post application).
 - The soil profile, including pH and percent organic matter, must be submitted in addition to the soil textural classification of the one foot soil segments.
 - The analytical methods used, including recovery data, should be included in the report.
 - Soil samples are to be stored in a manner that precludes degradation of residues.

Clinton Fletcher

Review Section No. 1

Expsoure Assessment Branch Hazard Evaluation Division Chemical:

FMC 57020

FMC 65317

CLIMATOLOGICAL SUMMARY

	1		ERRE	- 01	92,	- MI	<u>, </u>			1	951	- 1	97	1		31	۳	26'	N			7	F* 08	· w	,				_	
	-		·		TEM	PERA	TUR	E(°F)		•				T				-	PI	ECIP	TATION 1				_				F
	-	MI.	ANS			E	XTR	MES			ME		NUME DAYS		17					Т	T	T		-	LEET			ME	AN NU	W 8 1
HONT	4 5		. -						1		МА		M	_	1/	V							1	7		-	-		OF DA	YS.
	PART	DAII.Y	MONTHLY		HECHEST	YEAR	DAY	RECORD	VEAR	DAY	MO AND	BFI CW	37 AND	F AND	MEAN	CAFATEST	MONTHLY	VEAR	CREATEST DAILY		liAY	MEAN	MAXIMUM	YEAR	GREATEST		YEAR	DAY 10 or MORE	or MORE	
AN	43.	3 20	. 35		75	.,	23	•7	.5	,,		5			#	1		1		+	-		1 2 2	1	30		F 7	ě º	3	٠.
EĐ	46.0	c 28.	.0 37		72		15	-4		2		-	22	_	3.1	1	**	171	2.00	,	1 i	5.0	13.	•	30,		46 3	12	. 2	:
la r	33.5	3 39.		- 1	79+	1 1	28	14+	62	2		2	1.9	0	3.3	Λ	47	1	1.70	130	7	4.0	21.	5 67	33.	0	••	3	3	
PR	65.5	45,	3 55	.,	44.	1	27	21					12	0	3.4		59		2,05	:58	20	2.0	13.	0 i 60	•.	0	10	o 1		i
AY	74.1	54.	5 04.	,	97		20	B1	1 1		1		2	٥	3.2	11	11		1,76	i	1 1	.1	1.0	37	1.	۱ ه	17 2	3 7		İ
æ	82.7		1	- 1	02			42	••	1	3		- 1	0	3.1	11	72	1 1	2.79	!	1 1	.0		İ		1	1	•	2	
/LY	86.7	68.	2 77.	.5 1	00.	50		_	71				٥	۰	3.5	11.	**	- 1	3.90	•7	19	.0			1	1		1 .	2	
UG.	43.3		ı	- 1	00	53			_				i	0	4.3	11	03		4.02	•	23	.0			İ	1	i	,	3	
PT	79,7	60.	0 49.	. 1		53			1				•	•	5.34	11	00 i	1	8.40	1	1 1	.0				1			2	
T	47,7	49.	5 59.	, ,	90	34			- 1	5				0	3.41		34	1	7.17	.1	!!	.0				ı			2	
*	57,9	20.	40.	7 .	10+	71	3		51						3.01		.2	- 1	3,37		19	.0							2	
١	46,8	30.	30.	7 ,	74	71 1	•	2	58 1				19		3.40		J	•3			7	.7	7.0	67	7.0	•	7 30	•	2	
AR	86.0	47.4	56,	• 1 • •		- 44	N,		JA	N .				-	3.70	1 1"	A	15		يب	26	2.7	12.0	ب	0.0	•	6 Z8	•	3	
		1		7 10	,2	50 3	9	7	15 1	9	23	<u>•</u>	83	اه	43.48	1 20.0	•	35	8.60	39	13	15.1	21.5	PEB 47	33.0	PE		1 74	30	12
														1	1					,			·						1	-
HE	WSV1	ILLE	BRID	GEP	OR	ŀΤ,	MD			19	51 -	19	71		/	/39.	39). V	ŧ			77*	40'					_		
-				TE	MPE	RATI	RE (*F)				-		Т			_			PO 5/	1017							5	70 F	Τ.
-		MEA	es	Ι		EXT	REM	E5		T	MEAI	N NU		+		T	T	\top		7	1	ATION TO				_		Lucas	NUME	
HIN	=		>	T	Т	T	T	T	Т	T	MAX.	T	MIN.	\exists			1		- 1		+		SNOW	SLE	ET	_	_		DAYS	Ł.R.
	DAILY	DARLY	HONTHLY	RECORD	MCHEST	KYN A	RECORD	LOWEST	YEAR PAC	ONV .ns	ABOVE 32" AND	NV Z	A P	MC H	MEAN	GREATEST		YEAR	CREATEST DAILY	VEAR	DAY	MEAN	MAXIMUM MONTHLY	VEAR	GREATEST DEPTH	YEAR	DAY	or MORE	or MORE	1 00 or MORE
1	39.2	21.9	30.4	7,	2 4	7 2	-1	5 6	8 1.	T	1	T		T			+	Ť	-	\dashv	+		42		<u> </u>	٤	ÌÈ	2.	2	=
.	42.6	24.3	33.4	70	. F	4 15	1	٠ -	1	i i		`; `	26	1	2.30	4.0	1		1.31	- 1	1	4.5	29.3	••	27.0	••	30	5	1	0
R	51.4	30,7	41.1		. i	.1.	1	20 6				1	23 <u> </u>	•	2.35	3.9		1	1.76	i	7	7.8	29.5	91	31.0	•1	8	3	1	÷
. [64.9	41.0	93.0	92		0 23		1	1	ł			1		3.08	5,39	1		2.08	- 1	3	•••	21.0	•0	9.0	50	7	7	2	0
1	75.0	49.6	62.4	99		9 29	1	. 1	1	1	1		Ĭ		3.37	7.40	1		1.72 7	Ţ,	•	.6	4.0	59	4.0	59	12	7	2	0
-	3,5	58.4	71.1	99		28	!	- 1	- 1						3.29	7,15	1	1	1	- 1	5	-0	i					7	2 .	1
1	17.5	62.7	75.1	105	5	14	41	14 7	1	١,	1	1			3.36	8.79	1	1	40 5	- [3	.0	٠				i	۰	2	:
- 1	15.4	41.2	73.4	101	. 3	2	42	-1	1		1				3.39	10.01	1		.67 5	1	-1	.0	l	1	. 1			3	2	1
٠ ٠	79.1	54.4	.66,8	100	. 51		i	1	1	١,		1				4.49	123	1	.70 5	3 2	3	.0		ľ	- 1	i	i	•	3	1

	1951 - 1971 TEMPERATURE (*F)														39° 21' N 76° 08' W PRECIPITATION TOTALS (INCHES)												78 FT.			
		MEAN	5		E	XTR	EMES	_		*	EAN	NUM	BER	 		T .	CIPI	TATION TO		MEAN NUMBER										
ютн	2		>		Г	Π		Ī	T	М	AX.	-	un	1						т	SNOW	, SLE	EET	_	_		DAY	15		
	DAILY MAXIMUM	DAILY	MONTHLY	RECORD	YEAR	DAY	RECORD	VEAR	DAY	Me AND	B. CIW	DAY 78	P AND	MEAN	GREATEST MONTHLY	VEAR	GREATEST DAILY	FAR	DAY	MEAN	MAXIMUM	VEAR	GREATEST DEPTH	YEAR	DAY	or MURE	or MONE			
AN	41.5	25.6	33.6	72	67	24	1	.,	29		١,	25				1			-		4.2	-	60	5	츽	2	\$	1		
EB	45.1	27.4	34.3	77	54	10	,	61	2		,	21	1	2.92 3.14	5.44		1.77	ı	- 1	5.9	19.0	••	10.0	66	30	•	2			
AR	53.0	33.9	43.5	,81	88	29	12	67		a		13	1	3.79	6.37 6.54		1.69		- 1	3.0	20.5	67	17.0	56	٥	7	3			
7R	45.0	44.2	55.1	90+	60	20	25	49	1		۰	1		3.48	7.71		2.55	- 1	[2.9	14.0	00	10.0	58	20	•	3			
14	75.7	53,2	64,4	94	02	19	34	0.0	10	1				3.48	4.04		2.03	. !	1	•					Ì	7	2			
N	84.4	02.4	73,4	100+	49	28	45	67	1	7	۰			3.39	0.42	1	3.52	- 1		.0				-	-	7	2			
LY	88.7	67.3	78,0	104	54	22	520	71	5	13	0	۰		6.18	7.47		3,45	- 1		.0	i	- 1	!	- 1	İ	•	2			
c	86.8	65.9	76.4	104	53	31	30	71	24	10	٥	۰	0;	4.83	13.57	1	5,43	•		.0	i		1	1	į		3			
- 1		60.2	70.5	100	53	2	36	51	30	•	۰	0		3.75	9,93	- 1	4.60	- 1	. 1	.0				1	1	7	31			
•	69.7	49,5	57.4	94	54	13	29	65	30	٥	0		•	3.00	7.20		7.05	- 1	- 1	••	. !	-	!		1.	3	2	. ;		
	56.5	39.3	47.9	80+	71	2	26	95	29	0	0	7	0	3.70	9.23	i	3.24	. [2	1.0						9	2	1		
4	44.8	29.5	37.2	71	51	7	9	•0	23	0	3	20	0	3.46	7.35	- 1	2.30	- 1	-i	4.2	20.5	- 1	13.0	- [-	1	•	3	1		

0.69|34|20| JUL

42.3 53.4 105 54 16 -15 68 127 28 17 110 1 34.88 10.01 56

· ALSO ON EARLIER DATES

Command exposure assessment review
Page is not included in this copy. Pages 6 _ through 7 are not included in this copy.
•
The material not included contains the following type of information:
Identity of product inert ingredients
Identity of product impurities
Description of the product manufacturing process
Description of product quality control procedures
Identity of the source of product ingredients
Sales or other commercial/financial information
A draft product label
The product confidential statement of formula
Information about a pending registration action
X FIFRA registration data
The document is a duplicate of page(s)
The document is not responsive to the request
The information not included is generally considered confidential by product registrants. If you have any questions, please contact the individual who prepared the response to your request.